INDEX TO AUTHORS.

A

Albrecht, P. Gerhard. Chemical study of several marine mollusks of the Pacific coast. The reproductive system, 483

Austin, J. H. See CULLEN, AUSTIN, KORNBLUM, and ROBINSON, 625

B

Barley, Charles V. See RAKESTRAW, 121

Barr, David P. Studies in the physiology of muscular exercise. IV. Blood reaction and breathing, 171

Behre, Jeanette Allen. Observations on the determination of blood urea, 395

Benedict, Stanley R., and **Osterberg, Emil.** Studies in creatine and creatinine metabolism. V. The metabolism of creatine, 229

Blau, Nathan F. The amino-acid nitrogen of the blood. I. The total free amino-acid nitrogen in blood, 861

—. II. The diamino nitrogen in the protein-free blood filtrate, 867

—. III. A study of the occurrence of peptide nitrogen in the blood, 873

Bloor, W. R. The fatty acids of blood plasma, 711

Bodansky, Meyer. Fructose, glucose, and galactose tolerance in dogs, 387

Bogert, L. Jean, and **Plass, E. D.** Placental transmission. I. The calcium and magnesium content of fetal and maternal blood serum, 297

Buell, Mary V. On the phosphorus compounds in normal blood, 97

C

Clough, Harry D. See MURLIN, CLOUGH, GIBBS, and STOKES, 253

Collip, J. B. Glucokinin. A new hormone present in plant tissue. Preliminary paper, 513

Cowgill, George R. An improved procedure for metabolism experiments, 725

Cullen, G. E., Austin, J. H., Kornblum, K., and **Robinson, H. W.** The initial acidosis in anesthesia, 625

D

Dakin, H. D. Experiments on the catabolism of caproic acid and its derivatives, 43

Damon, Samuel R. Some observations in regard to growth-promoting substances of bacterial origin, 895

Denis, W. A study of the inorganic constituents of the blood in experimental nephritis, 473
—, and **Giles, Upton.** On glycolysis in diabetic and non-diabetic blood, 739

E

Edgar, Graham. Preparation and comparison of standards for the estimation of creatine and creatinine, 1
—, and **Hinegardner, W. S.** The preparation of creatinine from creatine, 881
Emmett, A. D., and **Peacock, Gail.** Does the chick require the fat-soluble vitamines? 679

F

Falk, K. George. See SUGIURA, NOYES, and FALK, 903
Finner, Lucy L. See SUMNER and HUBBARD, 701
Foster, G. L., and **Schmidt, Carl L. A.** The separation of the hexone bases from certain protein hydrolysates by electrolysis, 545
Freedman, Louis. See FUNK and FREEDMAN, 851
Funk, Casimir, and **Freedman, Louis.** The presence of an yeast growth-promoting vitamine in cane-sugar, 851

G

Gaessler, W. G., and **McCandlish, A. C.** A study of the calcium balance of dairy cows, 663
Gersdorff, C. E. F. See JONES and GERSDORFF, 79
Gibbs, C. B. F. See MURLIN, CLOUGH, GIBBS, and STOKES, 253
Giles, Upton. See DENIS and GILES, 739
Goddard, Julia. See DENIS, 473
Gram, H. C. Observations on the regulation of osmotic pressure (conductivity, chlorides, freezing point, and proteins of serum), 593
—, and **Norgaard, A.** Chloride and conductivity determinations on plasma, 429

H

Haden, Russell L. A modification of the Folin-Wu method for making protein-free blood filtrates, 469
Hahn, Young D. See RAKESTRAW, 121
Hart, E. B. See STEENBOCK, HART, SELL, and JONES, 375
Hinegardner, W S. See EDGAR and HINEGARDNER, 881
Hubbard, Roger S. See SUMNER and HUBBARD, 701
Hyde, Elizabeth C., and **Lewis, Howard B.** Lipase studies. II. A comparison of the hydrolysis of the esters of the dicarboxylic acids by the lipase of the liver, 7

J

Jersey, Vernon. See MORRIS and JERSEY, 31
Jones, D. Breese, and **Gersdorff, C. E. F.** Proteins of the cantaloupe seed, *Cucumis melo.* Isolation of a crystalline globulin, and a compara-

XUM

tive study of this globulin with the crystalline globulin of the squash seed, *Cucurbita maxima*, 79

—, and **Waterman, Henry C.** Studies on the digestibility of proteins *in vitro*. IV. On the digestibility of the cottonseed globulin and the effect of gossypol upon the peptic-tryptic digestion of proteins, 501

Jones, J. H. See STEENBOCK, HART, SELL, and JONES, 375

—. See STEENBOCK, SELL, and JONES, 345

K

Koehler, Alfred E. See LEAKE, LEAKE, and KOEHLER, 319

Kornblum, K. See CULLEN, AUSTIN, KORNBLUM, and ROBINSON, 625

Kruse, T. K. Studies in narcosis. I. Ether analysis, 127

—. II. A method for the determination of the respiratory exchange during ether narcosis, 139

L

Leake, Chauncey D., Leake, Elizabeth W., and **Koehler, Alfred E.** The acidosis of ether anesthesia in the dog, 319

Leake, Elizabeth W. See LEAKE, LEAKE, and KOEHLER, 319

Leighton, Alan, and **Mudge, Courtland S.** On the endothermic reaction which accompanies the appearance of a visible curd in milks coagulated by heat: A contribution to the theory of the heat coagulation of milk, 53

Lewis, Howard B., and **Updegraff, Helen.** The reaction between proteins and nitrous acid. The tyrosine content of deaminized casein, 405

—. See HYDE and LEWIS, 7

M

MacDonald, Margaret B. The synthesis of "bios" by yeast grown in a solution of purified nutrients, 489

McCandlish, A. C. See GAESSLER and MCCANDLISH, 663

McLean, Franklin C. See VAN SLYKE, WU, and MCLEAN, 765

Morris, J. Lucien, and **Jersey, Vernon.** Chemical constituents of saliva as indices of glandular activity, 31

Mudge, Courtland S. See LEIGHTON and MUDGE, 53

Mueller, J. Howard. A new sulfur-containing amino-acid isolated from the hydrolytic products of protein, 157

Murlin, John R., Clough, Harry D., Gibbs, C. B. F., and **Stokes, Arthur M.** Aqueous extracts of pancreas. I. Influence on the carbohydrate metabolism of depancreatized animals, 253

Murray, Cecil D. The acid-base equilibrium in simple two-phase systems, 569

N

Nelson, E. M. See STEENBOCK and NELSON, 355
—. See STEENBOCK, SELL, and NELSON, 327
Norgaard, A. See GRAM and NORGAARD, 429
Noyes, Helen Miller. See SUGIURA, NOYES, and FALK, 903

O

Osterberg, Emil. See BENEDICT and OSTERBERG, 229

P

Peacock, Gail. See EMMETT and PEACOCK, 679
Peters, John P. Studies of the carbon dioxide absorption curve of human blood. III. A further discussion of the form of the absorption curve plotted logarithmically, with a convenient type of interpolation chart, 745
Plass, E. D. Variations in the distribution of the non-protein nitrogenous constituents of whole blood and plasma during acute retention and elimination, 17
—, and **Tompkins, Edna H.** Placental transmission. II. The various phosphoric acid compounds in maternal and fetal serum, 309
—. See BOGERT and PLASS, 297

R

Rakestraw, Norris W. Chemical factors in fatigue. II. Further changes in some of the blood constituents following strenuous muscular exercise, 121
—. A quantitative method for the determination of phenols in blood, 109
Robinson, H. W. See CULLEN, AUSTIN, KORNBLUM, and ROBINSON, 625

S

Salvesen, Harald A. The function of the parathyroids, 443
Sando, Charles E. Constituents of the wax-like coating on the surface of the apple, 457
Schmidt, Carl L. A. See FOSTER and SCHMIDT, 545
Sell, M. T. See STEENBOCK, HART, SELL, and JONES, 375
—. See STEENBOCK, SELL, and JONES, 345
—. See STEENBOCK, SELL, and NELSON, 327
Shackell, L. F. Dye-protein aggregates. I. Congo fibrin, 887
Shaw, R. H. See SHERMAN and SHAW, 695
Sherman, J. M., and **Shaw, R. H.** The propionic acid fermentation of lactose, 695
Shohl, A. T. A trap for the Van Slyke gas analysis apparatus, 125
Steenbock, H., Hart, E. B., Sell, M. T., and **Jones, J. H.** The availability of calcium salts, 375

XUM

—, and **Nelson, E. M.** Fat-soluble vitamine. XIII. Light in its relation to ophthalmia and growth, 355

—, **Sell, Mariana T.,** and **Jones, J. H.** Fat-soluble vitamine. XII. The fat-soluble vitamine content of millets, 345

—, —, and **Nelson, E. M.** Fat-soluble vitamine. XI. Storage of the fat-soluble vitamine, 327

Stokes, Arthur M. See MURLIN, CLOUGH, GIBBS, and STOKES, 253

Sugiura, Kanematsu, Noyes, Helen Miller, and **Falk, K. George.** Studies on enzyme action. XXIV. The kinetics of the ester-hydrolyzing actions of some tissue and tumor extracts, 903

Sumner, James B., and **Hubbard, Roger S.** The determination of the titratable alkali of the blood with dinitrosalicylic acid, 701

T

Tisdall, Frederick F. A note on the Kramer-Tisdall method for the determination of calcium in small amounts of serum, 439

Tompkins, Edna H. See PLASS and TOMPKINS, 309

U

Updegraff, Helen. See LEWIS and UPDEGRAFF, 405

V

Van Slyke, Donald D., Wu, Hsien, and **McLean, Franklin C.** Studies of gas and electrolyte equilibria in the blood. V. Factors controlling the electrolyte and water distribution in the blood, 765

Vickery, Hubert Bradford. A product of mild acid hydrolysis of wheat gliadin, 415

W

Wakeham, Glen. Basal metabolism and the menstrual cycle, 555

Waterman, Henry C. The preparation of tryptophane from the products of hydrolysis of lactalbumin with baryta, 75

—. See JONES and WATERMAN, 501

Whitehorn, John C, "Permutit" as a reagent for amines, 751

Wilson, D. Wright. Determination of amino nitrogen in compounds reacting slowly with nitrous acid, 183

—. The determination of free amino nitrogen in proteins, 191

—. A spontaneous crystallization of a Bence-Jones protein, 203

—. Studies in pyrimidine metabolism, 215

Wu, Hsien. See VAN SLYKE, WU, and MCLEAN, 765

INDEX TO SUBJECTS.

A

Absorption curve:
Carbon dioxide, and buffer value of blood, calculation (Van Slyke, Wu, and McLean) 802
— —, of human blood (Peters) 745
Form, plotted logarithmically (Peters) 745

Acid:
Hydrolysis, mild, of wheat gliadin, product (Vickery) 415

Acid-base equilibrium:
Two-phase systems, simple (Murray) 569

Acidosis:
Anesthesia, initial acidosis in (Cullen, Austin, Kornblum, and Robinson) 625
Ether anesthesia in the dog (Leake, Leake, and Koehler) 319

Aggregates:
Dye-protein (Shackell) 887

Albumin:
Egg, preparation of sulfur-containing amino-acid from (Mueller) 165

Alcohol:
Malol, new crystalline alcohol, isolation (Sando) 462

Alkali:
Blood, titratable, determination with dinitrosalicylic acid (Sumner and Hubbard) 701
Proteins, alkali bound by, electrolyte distribution between blood serum and transudates as function (Van Slyke, Wu, and McLean) 789

Amines:
Permutit as reagent for (Whitehorn) 751

Amino-acid:
Nitrogen of blood (Blau) 861, 867, 873
— — —, total free (Blau) 861
Proteins of cantaloupe seed globulin (Jones and Gersdorff) 81
— — — — glutelin (Jones and Gersdorff) 81
— — squash seed globulin (Jones and Gersdorff) 81
Sulfur-containing, new, isolated from the hydrolytic products of protein (Mueller) 157

Amino nitrogen:
Compounds reacting slowly with nitrous acid, determination in (Wilson) 183
Proteins, determination in (Wilson) 191

Anesthesia:
Acidosis, initial, in (Cullen, Austin, Kornblum, and Robinson) 625
Ether, in the dog, acidosis (Leake, Leake, and Koehler) 319
Apple:
Wax-like coating on the surface, constituents (Sando) 457
Aqueous extract:
Pancreas (Murlin, Clough, Gibbs, and Stokes) 253

B

Bacteria:
Growth-promoting substance of bacterial origin (Damon) 895
Baryta:
Preparation of tryptophane from products of hydrolysis of lactalbumin with (Waterman) 75
Bence-Jones:
Protein. *See* Protein.
"Bios":
Synthesis by yeast grown in a solution of purified nutrients (MacDonald) 489
Blood:
Alkali, titratable, determination with dinitrosalicylic acid (Sumner and Hubbard) 701
Amino-acid nitrogen (Blau) 861, 867, 873
— —, total free (Blau) 861
Blood—*continued:*
Buffer value, and carbon dioxide absorption curve (Van Slyke, Wu, and McLean) 802
Chlorides, strenuous muscular exercise, changes following (Rakestraw) 123
Electrolyte and water distribution in (Van Slyke, Wu, and McLean) 765
Exercise, strenuous muscular, changes following (Rakestraw) 121
Filtrate, protein-free, diamino nitrogen in (Blau) 867
Filtrates, protein-free, modification of Folin-Wu method for making (Haden) 469
Gas and electrolyte equilibria in (Van Slyke, Wu, and McLean) 765
Glycolysis, in diabetic and non-diabetic blood (Denis and Giles) 739
Hasselbalch's constant for, and K'_s value for serum, relationship between (Van Slyke, Wu, and McLean) 798
Human, carbon dioxide absorption curve (Peters) 745
Hydrogen ion by dialysis method, effect of membrane on determination (Van Slyke, Wu, and McLean) 796
Nephritis, experimental, inorganic constituents (Denis) 473

Blood—*continued:*
Non-protein nitrogenous constituents, during acute retention and elimination (PLASS) 17
Normal, phosphorus compounds in (BUELL) 97
Peptide nitrogen in (BLAU) 873
Phenols in, quantitative method for determination (RAKESTRAW) 109
Plasma, fatty acids (BLOOR) 711
Reaction and respiration, relation, during and following muscular exercise (BARR) 173
Serum, calcium and magnesium content of fetal and maternal (BOGERT and PLASS) 297
Sugar, strenuous muscular exercise, changes following (RAKESTRAW) 123
Urea, determination (BEHRE) 395
Uric acid, strenuous muscular exercise, changes following (RAKESTRAW) 123

Breathing:
Minute volume, relation of pH to, during and following muscular exercise (BARR) 175

Buffer value:
Blood, and carbon dioxide absorption curve (VAN SLYKE, WU, and MCLEAN) 802

Butyrylacetic acid:
Preparation (DAKIN) 50

C

Calcium:
Balance of dairy cows (GAESSLER and MCCANDLISH) 663
Content of fetal and maternal blood serum (BOGERT and PLASS) 297
Salts, availability (STEENBOCK, HART, SELL, and JONES) 375
Serum, determination by Kramer-Tisdall method, note on (TISDALL) 439

Cane-sugar:
Yeast growth-promoting vitamine in (FUNK and FREEDMAN) 851

Cantaloupe seed:
Crystalline globulin, comparison with the crystalline globulin of the squash seed (JONES and GERSDORFF) 79
Proteins (JONES and GERSDORFF) 79

Caproic acid:
Catabolism (DAKIN) 43
Preparation (DAKIN) 48

Carbohydrate:
Metabolism experiments, improved procedure (COWGILL) 732
—, influence on, of depancreatized animals (MURLIN, CLOUGH, GIBBS, and STOKES) 253

Carbon dioxide:
Absorption curve and buffer value of blood, calculation (VAN SLYKE, WU, and MCLEAN) 802
— — of human blood (PETERS) 745

Casein:
Deaminized, tyrosine content (Lewis and Updegraff) 405
Catabolism:
Caproic acid (Dakin) 43
Cell:
Volume and water distribution (Van Slyke, Wu, and McLean) 780
Chemical constituents:
Saliva as indices of glandular activity (Morris and Jersey) 31
Chloride(s):
Determination on plasma (Gram and Norgaard) 429
Serum (Gram) 593
Chloroform:
Anesthesia, immediate effect (Cullen, Austin, Kornblum, and Robinson) 644
Coagulation:
Milk, by heat (Leighton and Mudge) 53
Conductivity:
Determination on plasma (Gram and Norgaard) 429
Serum (Gram) 593
Copper:
Salt, sulfur-containing amino-acid, preparation (Mueller) 163
Corpuscles:
Inorganic phosphates from, absence (Buell) 99
Phosphates of (Buell) 99
Cottonseed:
Globulin, digestibility (Jones and Waterman) 501
Creatine:
Creatinine preparation from (Edgar and Hinegardner) 881
Metabolism (Benedict and Osterberg) 229
Preparation and comparison of standards for estimation (Edgar) 1
Whole blood and plasma, distribution in acute retention and elimination (Plass) 27
Creatinine:
Creatine, preparation from (Edgar and Hinegardner) 881
Hydrochloride, conversion of, into creatinine (Edgar and Hinegardner) 883
—, preparation (Edgar and Hinegardner) 882
Metabolisim (Benedict and Osterberg) 229
Preparation and comparison of standards for estimation (Edgar) 1
Whole blood and plasma, distribution in acute retention and elimination (Plass) 27
Zinc chloride, preparation (Edgar) 2
Creatinine picrate:
Preparation (Edgar) 2
Crystallization:
Bence-Jones protein (Wilson) 203

Cucumis melo:
See Cantaloupe seed.
Cucurbita maxima:
See Squash seed.
Curd:
Milk, coagulated by heat, endothermic reaction accompanying (LEIGHTON and MUDGE) 53
Cystine:
Content, determination in cantaloupe seed proteins (JONES and GERSDORFF) 94

D

Depancreatectomy:
Carbohydrate metabolism, influence on (MURLIN, CLOUGH, GIBBS, and STOKES) 253
Diabetes:
Glycolysis (DENIS and GILES) 739
Diamino nitrogen:
Protein-free blood filtrate (BLAU) 867
Dicarboxylic acids:
Esters, comparison of hydrolysis by the lipase of the liver (HYDE and LEWIS) 7
Diet:
Metabolism experiments, improved procedure (COWGILL) 728
Diethyl adipate:
Hydrolysis by lipase (HYDE and LEWIS) 12
Diethyl glutarate:
Hydrolysis by lipase (HYDE and LEWIS) 9
Diethyl malonate:
Hydrolysis by lipase (HYDE and LEWIS) 9
Diethyl succinate:
Hydrolysis by lipase (HYDE and LEWIS) 9
Digestibility:
Cottonseed globulin (JONES and WATERMAN) 501
Proteins *in vitro* (JONES and WATERMAN) 501
Digestion:
Peptic-tryptic, of proteins, effect of gossypol on (JONES and WATERMAN) 501
Dinitrosalicylic acid:
Alkali of blood, titratable, determination with (SUMNER and HUBBARD) 701
3, 5-Dinitrosalicylic acid:
Preparation (SUMNER and HUBBARD) 702
Dye-protein:
Aggregates (SHACKELL) 887

E

Electrolysis:
Separation of hexone bases from protein hydrolysates by (FOSTER and SCHMIDT) 545
Electrolyte:
Equilibria and gas in blood (VAN SLYKE, WU, and MCLEAN) 765
Water distribution and, in blood (VAN SLYKE, WU, and MCLEAN) 765
Endothermic reaction:
Curd in milk coagulated by heat, endothermic reaction accompanying (LEIGHTON and MUDGE) 53

Enzyme:
Action (SUGIURA, NOYES, and FALK) 903
Equilibria:
Electrolyte, and gas, in blood (VAN SLYKE, WU, and MCLEAN) 765
Ester(s):
Dicarboxylic acids, comparison of hydrolysis by the lipase of the liver (HYDE and LEWIS) 7
-Hydrolyzing actions of some tissue and tumor extracts, kinetics (SUGIURA, NOYES, and FALK) 903
Ether:
Analysis in narcosis (KRUSE) 127
Anesthesia, immediate effect (CULLEN, AUSTIN, KORNBLUM, and ROBINSON) 643
— in the dog, acidosis (LEAKE, LEAKE, and KOEHLER) 319
Narcosis, respiratory exchange during, determination (KRUSE) 139
Spirometer, behavior of ether in (KRUSE) 139
Ethyl propionate:
Hydrolysis by lipase (HYDE and LEWIS) 8
Exercise:
Muscular, physiology (BARR) 171

F

Fat:
Metabolism experiments, improved procedure (COWGILL) 732
Fat—*continued:*
-Soluble vitamine (STEENBOCK and NELSON) 355
(STEENBOCK, SELL, and JONES) 345
(STEENBOCK, SELL, and NELSON) 327
— — content of millets (STEENBOCK, SELL, and JONES) 345
— —, storage (STEENBOCK, SELL, and NELSON) 327
— vitamines, requirement by the chick (EMMETT and PEACOCK) 679
Fatigue:
Chemical factors (RAKESTRAW) 121
Fatty acids:
Blood plasma (BLOOR) 711
Fermentation:
Propionic acid, of lactose (SHERMAN and SHAW) 695
Fetus:
Blood serum, calcium and magnesium content (BOGERT and PLASS) 297
— —, phosphoric acid compounds in (PLASS and TOMPKINS) 309
Fibrin:
Congo (SHACKELL) 887
Folin-Wu method:
Making protein-free blood filtrates, modification (HADEN) 469
Freezing point:
Serum (GRAM) 593
Fructose:
Tolerance in dogs (BODANSKY) 387

G

Galactose:
Tolerance in dogs (Bodansky) 387
Gas:
Electrolyte equilibria and, in blood (Van Slyke, Wu, and McLean) 765
Gas analysis apparatus:
Van Slyke, trap for (Shohl) 125
Glandular activity:
Chemical constituents of saliva as indices (Morris and Jersey) 31
Gliadin:
Wheat, product of mild acid hydrolysis (Vickery) 415
Globulin:
Cantaloupe seed, preparation (Jones and Gersdorff) 89
Cottonseed, digestibility (Jones and Waterman) 501
Crystalline, of the cantaloupe seed, comparison with the crystalline globulin of the squash seed (Jones and Gersdorff) 79
—, — — — seed, isolation (Jones and Gersdorff) 79
—, — — squash seed, comparison with the crystalline globulin of the cantaloupe seed (Jones and Gersdorff) 79
Glucokinin:
Hormone, new, present in plant tissue (Collip) 513
Glucose:
Tolerance in dogs (Bodansky) 387
Glutelin:
Cantaloupe seed, preparation (Jones and Gersdorff) 90
Glycolysis:
Blood, diabetic and non-diabetic (Denis and Giles) 739
Gossypol:
Peptic-tryptic digestion of proteins, effect on (Jones and Waterman) 501
Growth:
Light in relation to (Steenbock and Nelson) 355
Substance, growth-promoting, bacterial origin (Damon) 895
Vitamine, yeast, growth-promoting, in cane-sugar (Funk and Freedman) 851

H

Heat:
Coagulation of milk (Leighton and Mudge) 53
Heptacosanol:
Identification (Sando) 459
$\alpha\beta$-Hexenic acid:
Preparation (Dakin) 49
Hexone:
Bases, separation from protein hydrolysates by electrolysis (Foster and Schmidt) 545
Hormone:
Glucokinin, new hormone present in plant tissue (Collip) 513

Hydrochloride:
Creatinine, conversion into creatinine (EDGAR and HINEGARDNER) 883
—, preparation (EDGAR and HINEGARDNER) 882
Hydrogen ion:
Blood, by dialysis method, effect of membrane on determination (VAN SLYKE, WU, and MCLEAN) 796
Breathing, minute volume, relation to, during and following muscular exercise (BARR) 175
Hydrolysates:
Protein, separation of hexone bases from, by electrolysis (FOSTER and SCHMIDT) 545
Hydrolysis:
Acid, mild, of wheat gliadin, product (VICKERY) 415
β,-Hydroxycaproic acid:
Preparation (DAKIN) 49

I

Inorganic constituents:
Blood in experimental nephritis (DENIS) 473
Interpolation:
Chart, convenient type (PETERS) 745

K

Kinetics:
Ester-hydrolyzing actions of some tissue and tumor extracts (SUGIURA, NOYES, and FALK) 903
Kramer-Tisdall method:
Determination of calcium in small amounts of serum by, note on (TISDALL) 439

L

Lactalbumin:
Preparation of tryptophane from products of hydrolysis, with baryta (WATERMAN) 75
Lactose:
Propionic acid fermentation (SHERMAN and SHAW) 695
Lettuce:
Extract, presence of new hormone, glucokinin, in (COLLIP) 523
Light:
Ophthalmia and growth, light in relation to (STEENBOCK and NELSON) 355
Lipase:
Liver, comparison of hydrolysis of esters of dicarboxylic acids by (HYDE and LEWIS) 7
Preparation (HYDE and LEWIS) 7
Liver:
Lipase, comparison of hydrolysis of esters of dicarboxylic acids by (HYDE and LEWIS) 7

M

Magnesium:
Content of fetal and maternal blood serum (BOGERT and PLASS) 297

Malol:
Alcohol, new crystalline, isolation (SANDO) 462
Menstruation:
Metabolism, basal, and the menstrual cycle (WAKEHAM) 555
Mercuric chloride:
Precipitate of sulfur-containing amino-acid, composition (MUELLER) 163
Metabolism:
Basal, and the menstrual cycle (WAKEHAM) 555
Carbohydrate, influence on, of depancreatized animals (MURLIN, CLOUGH, GIBBS, and STOKES) 253
Creatine (BENEDICT and OSTERBERG) 229
Creatinine (BENEDICT and OSTERBERG) 229
Experiments, improved procedure (COWGILL) 725
Pyrimidine (WILSON) 215
Milk:
Coagulation by heat (LEIGHTON and MUDGE) 53
Curd, coagulated by heat, endothermic reaction accompanying (LEIGHTON and MUDGE) 53
Millets:
Fat-soluble vitamine content (STEENBOCK, SELL, and JONES) 345
Mineral constituents:
Metabolism experiments, improved procedure (COWGILL) 733
Mollusks:
Marine, of the Pacific coast, chemical study (ALBRECHT) 483

N

Naphthol isocyanate:
Derivative of sulfur-containing amino-acid, preparation (MUELLER) 162
Narcosis:
Ether analysis (KRUSE) 127
—, respiratory exchange during, determination (KRUSE) 139
Nephritis:
Blood, inorganic constituents (DENIS) 473
Nitrogen:
Amino-acid, of blood (BLAU) 861, 867, 873
—, — —, total free (BLAU) 861
Balance of dairy cows (GAESSLER and MCCANDLISH) 675
Diamino, in protein-free blood filtrate (BLAU) 867
Distribution in cantaloupe seed globulin (JONES and GERSDORFF) 81
— — — — glutelin (JONES and GERSDORFF) 93
— — squash seed globulin (JONES and GERSDORFF) 82
Non-protein, total, ratio of urea nitrogen to (PLASS) 25

Nitrogen—*continued:*
Non-protein, total, of whole blood and plasma, distribution in acute retention and elimination (PLASS) 24
Peptide, in blood (BLAU) 873
Urea: total non-protein nitrogen ratio (PLASS) 25
—, of whole blood and plasma, distribution in acute retention and elimination (PLASS) 25
Nitrogenous constituents:
Non-protein, of whole blood and plasma during acute retention and elimination, variations in distribution (PLASS) 17
Nitrous acid:
Amino nitrogen in compounds reacting slowly with, determination (WILSON) 183
Proteins and, reaction between (LEWIS and UPDEGRAFF) 405
Non-protein:
Nitrogen, total, ratio of urea nitrogen to (PLASS) 25
—, —, of whole blood and plasma, distribution in acute retention and elimination (PLASS) 24
Nitrogenous constituents of whole blood and plasma during acute retention and elimination, variations in distribution (PLASS) 17
Nutrients:
Solution of purified, synthesis of "bios" by yeast grown in (MACDONALD) 489

O

Onion:
Extract, presence of new hormone, glucokinin, in (COLLIP) 521
Ophthalmia:
Light in relation to (STEENBOCK and NELSON) 355
Vitamine A, alleviation with (EMMETT and PEACOCK) 688
Osmotic:
Pressure, regulation (GRAM) 593

P

Pancreas:
Aqueous extract (MURLIN, CLOUGH, GIBBS, and STOKES) 253
Parathyroids:
Function (SALVESEN) 443
Peptide:
Nitrogen in blood (BLAU) 873
Permutit:
Reagent for amines (WHITEHORN) 751
Phenol(s):
Blood, quantitative method for determination (RAKESTRAW) 109
Concentration, ratio between color intensity and (RAKESTRAW) 112

Phenol(s)—*continued:*
Uric acid and, separation (RAKESTRAW) 113
Phosphate(s):
Corpuscles (BUELL) 99
Inorganic, absence from corpuscles (BUELL) 99
Plasma (BUELL) 102
Phosphoric acid:
Compounds in maternal and fetal serum (PLASS and TOMPKINS) 309
Phosphorus:
Compounds in normal blood (BUELL) 97
Physiology:
Muscular exercise (BARR) 171
Placenta:
Transmission (BOGERT and PLASS) 297
(PLASS and TOMPKINS) 309
Plant:
Tissue, glucokinin, new hormone present in (COLLIP) 513
Plasma:
Blood, fatty acids of (BLOOR) 711
Chloride and conductivity determinations on (GRAM and NORGAARD) 429
Non-protein nitrogenous constituents, during acute retention and elimination (PLASS) 17
Phosphate (BUELL) 102
Potassium bichromate:
Preparation (EDGAR) 1
Propionic acid:
Fermentation of lactose (SHERMAN and SHAW) 695
Protein(s):
Alkali bound by, electrolyte distribution between blood serum and transudates as function (VAN SLYKE, WU, and MCLEAN) 789
Amino-acid, new sulfur-containing, isolated from the hydrolytic products of protein (MUELLER) 157
Amino nitrogen, free, determination of, in (WILSON) 191
Bence-Jones, spontaneous crystallization (WILSON) 203
Blood filtrate, protein-free, diamino nitrogen in (BLAU) 867
— —, —, modification of Folin-Wu method for making (HADEN) 469
Cantaloupe seed (JONES and GERSDORFF) 79
Digestibility *in vitro* (JONES and WATERMAN) 501
Dye-, aggregates (SHACKELL) 887
Hydrolysates, separation of hexone bases from, by electrolysis (FOSTER and SCHMIDT) 545
Metabolism experiments, improved procedure (COWGILL) 730
Molecule, existence of new sulfur-containing amino-acid in (MUELLER) 166

XUM

Protein(s)—*continued:*
Nitrous acid and, reaction between (LEWIS and UPDEGRAFF) 405
Peptic-tryptic digestion, effect of gossypol on (JONES and WATERMAN) 501
Serum (GRAM) 593
Pyrimidine:
Metabolism (WILSON) 215

R

Reproduction:
Marine mollusks of the Pacific coast, chemical study of reproductive system (ALBRECHT) 483
Respiration:
Blood reaction, relation to, during and following muscular exercise (BARR) 173
Respiratory cycle:
Electrolyte and water changes in blood during (VAN SLYKE, WU, and MCLEAN) 787
Respiratory exchange:
Ether narcosis during, determination (KRUSE) 139
Roughage:
Metabolism experiments, improved procedure (COWGILL) 732

S

Saliva:
Chemical constituents, as indices of glandular activity (MORRIS and JERSEY) 31
Salts:
Calcium, availability (STEENBOCK, HART, SELL, and JONES) 375
Copper, sulfur-containing amino-acid, preparation (MUELLER) 163
Serum:
Blood, calcium and magnesium content of fetal and maternal (BOGERT and PLASS) 297
—, and transudates, electrolyte distribution between, as function of alkali bound by proteins (VAN SLYKE, WU, and MCLEAN) 789
Calcium, determination by the Kramer-Tisdall method, note on (TISDALL) 439
Chlorides (GRAM) 593
Conductivity (GRAM) 593
Fetal, phosphoric acid compounds in (PLASS and TOMPKINS) 309
Freezing point (GRAM) 593
K'_s value for, and Hasselbalch's constant for whole blood, relationship between (VAN SLYKE, WU, and MCLEAN) 798
Proteins (GRAM) 593
Sorbic acid:
Preparation (DAKIN) 50

Spirometer:
Ether, behavior in (KRUSE) 139
Squash seed:
Crystalline globulin, comparison with the crystalline globulin of the cantaloupe seed (JONES and GERSDORFF) 79
Sulfur:
Amino-acid isolated from the hydrolytic products of protein, sulfur-containing (MUELLER) 157

T

Tissue:
Extracts, kinetics of ester-hydrolyzing actions (SUGIURA, NOYES, and FALK) 903
Plant, glucokinin, new hormone present in (COLLIP) 513
Transudates:
Blood serum and, electrolyte distribution between, as function of alkali bound by proteins (VAN SLYKE, WU, and MCLEAN) 789
Triacontane:
Identification (SANDO) 459
Tryptophane:
Content, determination in cantaloupe seed globulin and glutelin (JONES and GERSDORFF) 93
Preparation from products of hydrolysis of lactalbumin with baryta (WATERMAN) 75
Tumor:
Extracts, kinetics of ester-hydrolyzing actions (SUGIURA, NOYES, and FALK) 903
Two-phase systems:
Acid-base equilibrium in (MURRAY) 569
Tyrosine:
Content of deaminized casein (LEWIS and UPDEGRAFF) 405

U

Urea:
Blood, determination (BEHRE) 395
Nitrogen: total non-protein nitrogen ratio (PLASS) 25
— of whole blood and plasma, distribution in acute retention and elimination (PLASS) 25
Uric acid:
Phenol and, separation (RAKESTRAW) 113
Whole blood and plasma, distribution in acute retention and elimination (PLASS) 27

V

Van Slyke gas analysis apparatus:
Trap for (SHOHL) 125
Vitamine A:
Metabolism experiments, improved procedure (COWGILL) 732
Ophthalmia, alleviation of, with (EMMETT and PEACOCK) 688

Vitamine B:
Metabolism experiments, improved procedure (COWGILL) 734
Vitamine(s):
Fat-soluble (STEENBOCK and NELSON) 355
(STEENBOCK, SELL, and JONES) 345
(STEENBOCK, SELL, and NELSON) 327
—, content of millets (STEENBOCK, SELL, and JONES) 345
—, requirement by the chick (EMMETT and PEACOCK) 679
—, storage (STEENBOCK, SELL, and NELSON) 327
Yeast growth-promoting, in cane-sugar (FUNK and FREEDMAN) 851

W

Water:
Distribution and cell volume (VAN SLYKE, WU, and MCLEAN) 780
Water—*continued:*
Distribution and electrolyte in blood (VAN SLYKE, WU, and MCLEAN) 765
Wheat:
Gliadin, product of mild acid hydrolysis (VICKERY) 415
Leaves, presence of new hormone, glucokinin, in (COLLIP) 524

Y

Yeast:
Extract, presence of new hormone, glucokinin, in (COLLIP) 514
Grown in a solution of purified nutrients, synthesis of "bios" by (MACDONALD) 489
Growth-promoting vitamine in cane-sugar (FUNK and FREEDMAN) 851

Z

Zinc chloride:
Creatinine, preparation (EDGAR) 2